

**Technological
Creativity
Change the world**

 **BET**
GLOBAL

Bestway Environmental Technology(Huzhou) Co., Ltd.
500 Xunzhi Road, Nanxun Economic Development Zone, Huzhou City, Zhejiang Province, China
T. +86-572-3061888-829 F. +86-572-3068666
W. www.thebetglobal.cn
Email: bet@thebetglobal.cn

Environmental appliances

NO. 1 **Dehumidifier & Humidifier**

Intelligent humidity management, comfortable and
natural to keep the home fresh at all times

2025 Intelligent Dehumidifier

Transparent water tank visible, efficient dehumidification, goodbye to humidity, and enjoy a dry and healthy environment!



LED display



Dehumidification



Long time air supply



HC2486

- Specs:250*180*325mm
- Packing specs:250*180*325mm
- Carton Specs:250*180*325mm
- Net weight:2.6KG
- Gross weight:3.1KG
- Carton GW:3.1KG
- Carton Qty:1 pcs
- dehumidify mode:two level
- Rated power:65W
- Body material:ABS
- Rated frequency:50/60HZ



HC2488

- Specs:250*180*325mm
- Packing specs:250*180*325mm
- Carton Specs:250*180*325mm
- Net weight:2.6KG
- Gross weight:3.1KG
- Carton GW:3.1KG
- Carton Qty:1 pcs
- dehumidify mode:two level
- Rated power:65W
- Body material:ABS
- Rated frequency:50/60HZ

2025 Intelligent Dehumidifier and Humidifier

Transparent water tank visible, efficient dehumidification, goodbye to humidity, and enjoy a dry and healthy environment!



LED display



Dehumidification



Long time air supply



humidification



HC2466

- Specs:270*180*325mm
- Packing specs:310*220*365mm
- Carton Specs:310*220*365mm
- Net weight:2.82KG
- Gross weight:3.42KG
- Carton GW:3.42KG
- Carton Qty:1 pcs
- dehumidify mode:two level
- Rated power:65W
- Body material:ABS
- Rated frequency:50/60HZ



HC2468

- Specs:270*180*325mm
- Packing specs:310*220*365mm
- Carton Specs:310*220*365mm
- Net weight:2.82KG
- Gross weight:3.42KG
- Carton GW:3.42KG
- Carton Qty:1 pcs
- dehumidify mode:two level
- Rated power:65W
- Body material:ABS
- Rated frequency:50/60HZ

HOUSEHOLD DEHUMIDIFIER

- 
Continuous drainage
- 
Automated frosting
- 
Silent design
- 
Fresh air design
- 
Efficient dehumidification
- 
Failure self-test



MF-12J

Model	MF-12J
30°CRH80%DH capacity (L/Day)	12L/D
27°CRH60%DH Capacity (kg/h)	0.25kg/h
Refrigerant	R134a
Power	200 W
Rated Voltage And Frequency	220V~50Hz
Water Tank Volume	2.5 L
Noise	40 dB (A)
Unit Dimensions	W290XD230XH414 mm
Packing Dimensions	W339XD276XH454 mm
Container Loading	768/1568 /1944(20'/40'/40HQ)
Net Weight	7.3kg
Gross Weight	9.3kg
Applicable Area	10-50m ²

HOUSEHOLD DEHUMIDIFIER

- 
Continuous drainage
- 
Automated frosting
- 
Silent design
- 
Fresh air design
- 
Efficient dehumidification
- 
Failure self-test



MF-40JS



MF-60JS

Model	MF-40JS	MF-60JS
30°CRH80%DH capacity (L/Day)	40L/D	60L/D
27°CRH60%DH Capacity (kg/h)	1.0kg/h	1.5kg/h
Refrigerant	R290	R290
Power	420W	650W
Rated Voltage And Frequency	220V~50Hz	220V~50Hz
Water Tank Volume	4L	8 L
Noise	47 dB(A)	47dB(A)
Unit Dimensions	W350XD260XH500 mm	W390XD286XH620 mm
Packing Dimensions	W410XD326XH547 mm	W434XD346XH678 mm
Container Loading	225/435/700 (20'/40'/40HQ)	225/435/700 (20'/40'/40HQ)
Net Weight	15.5 kg	18.5 kg
Gross Weight	17.8 kg	21.0kg
Applicable Area	10-120 m	10-180m

INDUSTRIAL DEHUMIDIFIER



MF-240G



MF-480G



MF-960G

Model

35°CRH90%DH capacity (L/Day)	300L/D	550L/D	1150L/D
30°CRH80%DH capacity (L/Day)	240L/D	480L/D	960L/D
27°CRH60%DH Capacity (kg/h)	5.6kg/h	11.3kg/h	21.5kg/h
Rated Voltage And Frequency	380V 3N~50Hz	380V 3N~50Hz	380V 3N~50Hz
Rated Power	3100W	6500W	12200W
Maximum Input Power	4700W	9800W	18500W
Refrigerant	R22	R22	R22
Anti Electric Shock Type	I类	I类	I类
Working Pressure On Suction/Exhaust Side	0.8MPa/2.6MPa	0.8MPa/2.6MPa	0.8MPa/2.6MPa
Working Pressure On High/Low Pressure Side	0.8MPa/2.6MPa	0.8MPa/2.6MPa	0.8MPa/2.6MPa
Working Pressure Of Heat Exchanger	4.2MPa	4.2MPa	4.2MPa
Net Weight	100kg	140kg	250kg
Size	600x500x1320mm	970x500x1612mm	1150x585x1700mm

High-power dehumidification Rapid results



Commercial dehumidifier function display

The built-in air filter of the dehumidifier can filter out dust, bacteria and other harmful substances in the indoor air, making the indoor air fresher.



NO. 02 Air circulating fan

Wind the house, enjoy the freshness

Floor standing circulating fan coolness with you



LED display



high airflow



remote control



3 speed



timing



FS3511 / FS3512Y



FM2103

CIRCULATING FAN

- Specs: 350*350*1350mm
- Packing specs: 595*210*370mm
- Carton Specs: 595*210*370mm
- Net weight: 4.1kg
- Gross weight: 4.6kg
- Carton Gw.: 4.6kg
- Carton Qty: 1pc
- Speed mode: 3 level
- Rated power: 45W
- Blade material: AS
- Body material: ABS
- Rated frequency: 50-60HZ

- Specs: 195*195*330mm
- Packing specs: 102*197*197mm
- Carton Specs: 430*415*415mm
- Net weight: 0.8kg
- Gross weight: 1kg
- Carton Gw.: 12kg
- Carton Qty: 12pcs
- Speed mode: 3 level
- Rated power: 10W
- Body material: ABS
- Rated voltage: DV5V2A

3D shaking head

Enjoy coolness anytime anywhere



FT1608Y-1
rhombus shape



FT1608Y-2
9- shape



FT1608Y-3
spiral shape

- Specs: 240*248*352mm
- Packing specs: 275*285*400mm
- Carton Specs: 275*285*400mm
- Net weight: 2.3kg
- Gross weight 2.9kg
- Carton Qty: 1pc
- Speed mode: 8 level + sleep wind
- Rated power: 45W
- Body material: ABS
- Rated frequency: 50-60HZ



**Indoor circulating fan,
desktop and floor dual mode**
Portable storage, cool on the go!

FT1807 / FT1808Y

- Specs: 330*330*850mm
- Packing specs: 325*325*340mm
- Carton Specs: 325*325*340mm
- Net weight: 2.5kg
- Gross weight: 3.1kg
- GW: 3.1kg
- Carton Qty: 1pc
- Speed mode: 3 level
- Rated power: 35W
- Body material: PP
- Rated frequency: 50-60HZ

DESKTOP
FANS

New launched 3D circulating fan

Equipped with innovative 3D airflow cooling technology
Bring ultimate comfort and efficient experience!



FT1851 / FT1851
steel tube plastic tube



FT1858Y / FT1858Y
steel tube plastic tube



- Specs: 318*318*1000mm
- Packing specs: 640*260*365mm
- Carton Specs: 640*260*365mm
- Net weight: 3.35kg
- Gross weight: 4.15kg
- Carton Qty: 1pc
- Speed mode: 6 level
- Rated power: 40W
- Body material: ABS
- Rated frequency: 50-60HZ

- Specs: 318*318*1000mm
- Packing specs: 640*260*365mm
- Carton Specs: 640*260*365mm
- Net weight: 3.35kg
- Gross weight: 4.15kg
- Carton aty: 1pc
- Speed mode: 6 level
- Rated power: 40W
- Body material: ABS
- Rated frequency: 50-60HZ

CIRCULATION
FANS

Indoor circulating fan

Desktop and floor dual-use, portable storage, enjoy fresh air!



FT1852Y / FT1852Y
steel tube plastic tube

FT1855 / FT1855
steel tube plastic tube

CIRCULATION
FANS

- Specs:318*318*1000mm
 - Packing specs: 640*260*365mm
 - Carton Specs: 640*260*365mm
 - Net weight: 3.35kg
 - Gross weight: 4.15kg
 - Carton aty: 1pc
 - Speed mode: 6 level
 - Rated power: 40W
 - Body material: ABS
 - Rated frequency: 50-60HZ
- Specs: 318*318*1000mm
 - Packing specs: :640*260*365mm
 - Carton Specs: :640*260*365mm
 - Net weight: 3.35kg
 - Gross weight: 4.15kg
 - Carton Qty: 1pc
 - Speed mode: 6 level
 - Rated power: 40W
 - Body material: ABS
 - Rated frequency: 50-60HZ

New launched I 3D circulating fan

Innovative 3D airflow, enjoy ultimate comfort and efficiency



FT1856 / FT1856
steel tube plastic tube

FT1857 / FT1857
steel tube plastic tube

CIRCULATION
FANS

- Specs:318*318*1000mm
 - Packing specs: 640*260*365mm
 - Carton Specs: 640*260*365mm
 - Net weight: 3.35kg
 - Gross weight: 4.15kg
 - Carton aty: 1pc
 - Speed mode: 6 level
 - Rated power: 40W
 - Body material: ABS
 - Rated frequency: 50-60HZ
- Specs: 318*318*1000mm
 - Packing specs: :640*260*365mm
 - Carton Specs: :640*260*365mm
 - Net weight: 3.35kg
 - Gross weight: 4.15kg
 - Carton Qty: 1pc
 - Speed mode: 6 level
 - Rated power: 40W
 - Body material: ABS
 - Rated frequency: 50-60HZ

Air circulating fan

Desktop and floor dual-use
Portable storage, cool on the go!



FXJ1835 / FXY1836 FT1905 / FT1906Y

- | | |
|--|--|
| <ul style="list-style-type: none"> • Specs:355*355*935mm • Packing specs: 475*335*225mm • Carton Specs: :475*335*225mm • Net weight: 3.2kg • Gross weight: 4kg • Carton GW: 4kg • Carton Qty: 1pc • Speed mode: 3 level • Rated power: 45W • Body material: ABS+PP • Rated frequency: 50-60HZ | <ul style="list-style-type: none"> • Specs: 355*355*935mm • Packing specs: 590*380*345mm • Carton Specs:590*380*345mm • Net weight: 5.2kg • Gross weight: 6.8kg • Carton GW: 6.8kg • Carton Qty: 1pc • Speed mode: 3 level • Rated power: 65W • Body material: ABS • Rated frequency: 50-60HZ |
|--|--|

CIRCULATING FAN

Wide angle shaking floor standing circulating fan

Feel at ease in the whole house!

- LED

LED display
- high airflow

high airflow
- remote control

remote control
- 3 speed

3 speed
- timing


timing

Offline voice, soft lighting
Warm atmosphere, comfortable life

- ABS+PP shell material
- Copper clad alum. motor, long service life
- Around 125 ° wide-angle shaking head
- 90 ° up and down adjustment



FXY2046



- | | |
|--|--|
| <ul style="list-style-type: none"> • Specs: 358*288*1100mm • Packing specs: 688*220*398mm • Carton Specs: 688*220*398mm • Net weight: 4.8kg • Gross weight: 6.0kg | <ul style="list-style-type: none"> • Carton Qty: 3pcs • Speed mode: 3 level • Rated power: 45W • Body material: ABS+PP • Rated frequency: 50-60HZ |
|--|--|

CIRCULATING FAN

Desktop mini fan

Compact and flexible, cool and easy



FT2001

- Specs: 190*190*290mm
- Packing specs: 250*220*350mm
- Carton Specs: 520*460*370mm
- Net weight: 1.35kg
- Gross weight: 1.5kg
- Carton GW: 6.9kg
- Carton Qty: 4pcs
- Speed mode: 3 level
- Rated power: 25W
- Blade material: AS
- Body material: PP
- Rated frequency: 50-60HZ

CIRCULATING FAN



FT1601
Desktop Circulating Fan (Mechanical)



FT1602Y
Desktop Circulating Fan (Touch)

- Large angle spiral fan blade
- Three wind speed adjustment
- Left and right automatic head shaking
- Up and down adjustment

- Large angle spiral fan blade
- Three wind speed adjustment
- Left and right automatic headshaking
- Up and down adjustment7 hours timing

- Specs: 220*220*290mm
- Packing specs: 272*257*325mm
- Carton Specs: 530*280*340mm
- Net weight: 2.3kg
- Gross weight: 2.5kg
- Carton GW: 5.6kg
- Carton Qty: 2pcs
- Speed mode: 3 level
- Rated power: 35W
- Blade material: AS
- Body material: ABS
- Rated frequency: 50-60HZ



FT2005



FT2006Y

Three-speed switching | Cool and free!
Low noise strong wind, enjoy the comfort!

CIRCULATING FAN

- Specs: 245*197*275mm
- Packing specs: 220*210*305mm
- Carton Specs: 220*210*305mm
- Net weight: 2.9kg
- Gross weight: 3.2kg
- Carton Qty: 1pcs
- Speed mode: 3 level
- Rated power: 25W
- Body material: PP
- Rated frequency: 50-60HZ

NO. 03
Cooling fan

Cooler than a fan, energy-saving than air conditioner,
comfortable fresh air, all in one!

New Arrival
Portable air conditioning fan, cool and portable.



FT2406Y (Digital Type) / FK2408Y (Digital Type) / FK2402Y (Digital Type)

CIRCULATION
FANS

- Specs:260*230*630mm
- Packing specs: 310*270*660mm
- Carton Specs: 310*270*660mm
- Net weight: 3.9kg
- Gross weight: 4.5kg
- Carton GW: 4.5kg
- Carton Qty: 1pcs
- Speed mode: 6 level
- Rated power: 45W
- Body material: ABS
- Rated frequency: 50-60HZ

New Arrival

Portable air conditioning fan, cool and portable.



FK2406Y-S
(Digital Type)

/

FK2408Y-S
(Digital Type)

/

FK2402Y-S
(Digital Type)

CIRCULATION
FANS

- Specs:260*230*630mm
- Packing specs: 310*270*660mm
- Carton Specs: 310*270*660mm
- Net weight: 3.9kg
- Gross weight: 4.5kg
- Carton GW: 4.5kg
- Carton Qty: 1pcs
- Speed mode: 6 level
- Rated power: 45W
- Body material: ABS
- Rated frequency: 50-60HZ

New Arrival

Portable air conditioning fan, cool and portable.



FK2405
(Manual Type)

/

FK2407
(Manual Type)

/

FK2401
(Manual Type)

CIRCULATION
FANS

- Specs:260*230*630mm
- Packing specs: 310*270*660mm
- Carton Specs: 310*270*660mm
- Net weight: 3.9kg
- Gross weight: 4.5kg
- Carton GW: 4.5kg
- Carton Qty: 1pcs
- Speed mode: 6 level
- Rated power: 45W
- Body material: ABS
- Rated frequency: 50-60HZ

New Arrival

Portable air conditioning fan, cool and portable.



FK2405-S
(Manual Type)

FK2407-S
(Manual Type)

FK2401-S
(Manual Type)

- Specs:260*230*630mm
- Packing specs: 310*270*660mm
- Carton Specs: 310*270*660mm
- Net weight: 3.9kg
- Gross weight: 4.5kg
- Carton GW: 4.5kg
- Carton Qty: 1pcs
- Speed mode: 6 level
- Rated power: 45W
- Body material: ABS
- Rated frequency: 50-60HZ

CIRCULATION
FANS

Hot buster cooling fan

Enjoy a cool breeze



FK2306Y

- Specs: 300*260*500mm
- Packing specs:325*285*570mm
- Carton Specs:325*285*570mm
- Net weight: 3.7kg
- Gross weight: 4.2kg
- Carton GW: 4.2kg
- Carton Qty: 1pcs
- Speed mode: 3 level
- Rated power: 65W
- Body material: ABS
- Rated frequency: 50-60HZ

Mini Desktop Humidifying Cooling Fan



FM2208

- Specs: 155*135*240mm
- Packing specs:185*165*260mm
- Carton Specs:515*390*540mm
- Net weight: 0.9kg
- Gross weight: 1.1kg
- Carton GW: 17.8kg
- Carton Qty: 12pcs
- Speed mode: 3 level
- Rated power: 10W
- Body material: ABS
- Rated voltage: DC5V2A

AIR
COOLER

Purifying Air Cooling Fan

Mechanical



FK2307 / FK2305

- Specs: 300*260*500mm
 - Packing specs:325*285*570mm
 - Carton Specs:325*285*570mm
 - Net weight: 3.7kg
 - Gross weight: 4.2kg
 - Carton GW: 4.2kg
 - Carton Qty: 1pcs
 - Speed mode: 3 level
 - Rated power: 65W
 - Body material: ABS
 - Rated frequency: 50-60HZ
- Specs: 300*260*500mm
 - Packing specs:325*285*570mm
 - Carton Specs:325*285*570mm
 - Net weight: 3.7kg
 - Gross weight: 4.2kg
 - Carton GW: 4.2kg
 - Carton Qty: 1pcs
 - Speed mode: 3 level
 - Rated power: 65W
 - Body material: ABS
 - Rated frequency: 50-60HZ

AIR
COOLER

Mini Desktop Mist Humidifying Fan

Removable carrying handle for easy cleaning



FM2207

- Specs: 125*95*185mm
- Packing specs:140*110*210mm
- Carton Specs:570*300*440mm
- Net weight: 0.7kg
- Gross weight: 0.9kg
- Carton GW: 19.5kg
- Carton Qty: 20pcs
- Speed mode: 3 level
- Rated power: 10W
- Body material: ABS
- Rated voltage: DC5V2A



FM2202

- Specs: 148*120*198mm
- Packing specs:180*160*215mm
- Carton Specs:500*380*450mm
- Net weight: 0.8kg
- Gross weight: 1.0kg
- Carton GW: 14kg
- Carton Qty: 12pcs
- Speed mode: 3 level
- Rated power: 10W
- Body material: ABS
- Rated voltage: DC5V2A



FM2201

- Specs: 156*140*203mm
- Packing specs:170*170*225mm
- Carton Specs:530*340*470mm
- Net weight: 0.8kg
- Gross weight: 1.0kg
- Carton GW: 12.9kg
- Carton Qty: 12pcs
- Speed mode: 3 level
- Rated power: 10W
- Body material: ABS
- Rated voltage: DC5V2A



FM2206

- Specs: 134*104*238mm
- Packing specs:155*125*260mm
- Carton Specs:450*420*530mm
- Net weight: 1.0kg
- Gross weight: 1.2kg
- Carton GW: 15.3kg
- Carton Qty: 12pcs
- Speed mode: 3 level
- Rated power: 10W
- Body material: ABS
- Rated voltage: DC5V2A

AIR
COOLER

NO. 04 Heater

A little sun in the cold winter, warmth without waiting!
360°cycling warmth delivery, say goodbye to shivering!

Small Size, high Heat.
Whole House Heating Experience



HP9006



HP9008Y


HP9008

HEATER

- Specs: 125*100*240mm
- Packing specs: 155*120*260mm
- Carton Specs: 500*330*540mm
- Net weight: 0.85kg
- Gross weight: 1kg
- Carton GW: 17.5kg
- Carton Qty: 16pcs
- Speed mode: 2 level
- Rated power: 400/800
- WHeating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ

Heating & Cooling Tower Fan - Enjoy your comfort all year long!

Humidification, colorful ambient lighting.



HP2368R

- Specs: 327*327*1132mm
- Packing specs: 1215*275*275mm
- Carton Specs: 1215*275*275mm
- Net weight: 9kg
- Gross weight: 10.6kg
- Carton GW: 10.6kg
- Carton Qty: 1pcs
- Speed mode: 12 level
- Rated power: 1350/2000W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ

Simulate 3D flame heater

Create a warm atmosphere



HP1538Y / HP1537

- Specs: 260*125*335mm
- Packing specs: 209*165*365mm
- Carton Specs: 330*390*520mm
- Net weight: 2.15kg
- Gross weight: 2.55kg
- Carton GW: 8.85kg
- Carton Qty: 3pcs
- Speed mode: 3 level
- Rated power: 1500W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ

HEATER

Keep the air moist and not dry Heater with humidification and ambient light function



HP2228Y

- Specs: 190*175*405mm
- Packing specs: 210*195*445mm
- Carton Specs: 465*440*410mm
- Net weight: 1.9kg
- Gross weight: 2.1kg
- Carton GW: 9.3kg
- Carton Qty: 4pcs
- Speed mode: 3 level
- Rated power: 1500/2000W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ



HP2227Y

- Specs: 190*175*405mm
- Packing specs: 210*195*445mm
- Carton Specs: 465*440*410mm
- Net weight: 1.9kg
- Gross weight: 2.1kg
- Carton GW: 9.3kg
- Carton Qty: 4pcs
- Speed mode: 3 level
- Rated power: 1500/2000W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ

HEATER

3-Second Quick Heat

PTC Ceramic Heating Element



HP1539Y / HP1535 / HP1536Y

- Specs: 150*150*325mm
- Packing specs: 175*175*345mm
- Carton Specs: 545*545*365mm
- Net weight: 1.15kg
- Gross weight: 1.4kg
- Carton GW: 13.8kg
- Carton Qty: 9pcs
- Speed mode: 3 level
- Rated power: 1500W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ

HEATER

Ambient design PTC heater

With flame humidification function



HP1528Y

- Specs: 180*175*316mm
- Packing specs: 215*205*340mm
- Carton Specs: 450*430*360mm
- Net weight: 1.7kg
- Gross weight: 1.95kg
- Carton GW: 9.5kg
- Carton Qty: 4pcs
- Speed mode: 3 level
- Rated power: 1500W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ

HP1561 / HP1562

- Specs: 160*150*300mm
- Packing specs: 185*175*320mm
- Carton Specs: 580*550*340mm
- Net weight: 1.526kg
- Gross weight: 1.846kg
- Carton GW: 18kg
- Carton Qty: 9pcs
- Speed mode: 3 level
- Rated power: 1500W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ



HEATER

Simulate 3D flame heater

3D Dynamic Flame Heater



HP1527Y

- Specs: 180*175*316mm
- Packing specs: 215*205*340mm
- Carton Specs: 450*430*360mm
- Net weight: 1.7kg
- Gross weight: 1.95kg
- Carton GW: 9.5kg
- Carton Qty: 4pcs
- Speed mode: 3 level
- Rated power: 1500W
- Heating material: PTC
- Body material: V0 flame retardant material
- Rated frequency: 50-60HZ



HP1541 / HP1542R

- Specs: 186*174*350mm
- Packing specs: 195*195*370mm
- Carton Specs: 410*410*390mm
- Net weight: 1.65kg
- Gross weight: 1.9kg
- Carton GW: 8.8kg
- Carton Qty: 4pcs
- Speed mode: 3 level
- Rated power: 1500W
- Heating material: PTC
- Body material: V0 flame retardant material
- Rated frequency: 50-60HZ

HEATER

90 ° wide-angle heat supply

Ensuring that warmth reaches a larger area



HP2101 / HP2102R

- Specs: 168*158*368mm
- Packing specs: 200*190*400mm
- Carton Specs: 600*420*420mm
- Net weight: 1.71kg
- Gross weight: 2.15kg
- Carton GW: 13.85kg
- Carton Qty: 6pcs
- Speed mode: 3 level
- Rated power: 1500W/2000W
- Heating material: PTC
- Body material: V0 flame retardant material
- Rated frequency: 50-60HZ



HP2107 / HP2108R

- Specs: 168*158*368mm
- Packing specs: 200*190*400mm
- Carton Specs: 600*420*420mm
- Net weight: 1.71kg
- Gross weight: 2.15kg
- Carton GW: 13.85kg
- Carton Qty: 6pcs
- Speed mode: 3 level
- Rated power: 1500W/2000W
- Heating material: PTC
- Body material: V0 flame retardant material
- Rated frequency: 50-60HZ

HEATER

ECO intelligent temperature control



HP2265 / HP2266R

- Specs: 194*194*403mm
- Packing specs: 205*200*425mm
- Carton Specs: 420*420*445mm
- Net weight: 1.7kg
- Gross weight: 2.1kg
- Carton GW: 9.6kg
- Carton Qty: 4pcs
- Speed mode: 3 level
- Rated power: 1500W/2000W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ

3 heating modes

Switch freely



HP2267 / HP2268R

- Specs: 182*175*430mm
- Packing specs: 220*210*445mm
- Carton Specs: 460*440*455mm
- Net weight: 1.9kg
- Gross weight: 2.1kg
- Carton GW: 9.3kg
- Carton Qty: 4pcs
- Speed mode: 3 level
- Rated power: 1500W/2000W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ

HEATER

Tip over and power off for safety

Adjustable angle up and down 20°40°60°



HP2285 / HP2286R

- Specs: 188*188*420mm
- Packing specs: 195*215*445mm
- Carton Specs: 465*450*410mm
- Net weight: 1.9kg
- Gross weight: 2.1kg
- Carton GW: 9.5kg
- Carton Qty: 4pcs
- Speed mode: 3 level
- Rated power: 1500W/2000W
- Heating material: PTC
- Body material: ABS
- Rated frequency: 50-60HZ

Ambient design PTC heater

With flame humidification function



HP2261 / HP2262R

- Specs: 190*175*405mm
- Packing specs: 210*195*445mm
- Carton Specs: 465*440*410mm
- Net weight: 1.9kg
- Gross weight: 2.1kg
- Carton GW: 9.3kg
- Carton Qty: 4pcs
- Speed mode: 3 level
- Rated power: 1350W/2000W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ

HEATER

Mini compact comfortable home heater

Mute low noise



HP1565 / HP1566R

- Specs:152*152*250mm
- Packing specs:190*187*280mm
- Carton Specs: 580*400*580mm
- Net weight: 1.25kg
- Gross weight: 1.5kg
- Carton GW: 20.0kg
- Carton Qty: 12pcs
- Speed mode: 3 level
- Rated power: 1500w
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ

HP1567 / HP1568R

- Specs:160*140*260mm
- Packing specs:200*180*280mm
- Carton Specs: 560*420*580mm
- Net weight: 1.25kg
- Gross weight: 1.5kg
- Carton GW: 19.2kg
- Carton Qty: 12pcs
- Speed mode: 3 level
- Rated power: 1500W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ



HEATER

360 °infrared electric heater



HT2021

- Specs:260*260*465mm
- Packing specs:280*280*485mm
- Carton Specs: 280*280*485mm
- Net weight: 2.5kg
- Gross weight: 2.8kg
- Carton GW: 2.8kg
- Carton Qty: 1pcs



HT2026

- Specs:310*310*455mm
- Packing specs:330*330*475mm
- Carton Specs: 330*330*475mm
- Net weight: 2.7kg
- Gross weight: 3.2kg
- Carton GW: 3.2kg
- Carton Qty: 1pcs



HT1827

- Specs:310*310*455mm
- Packing specs:330*330*475mm
- Carton Specs: 330*330*475mm
- Net weight: 2.7kg
- Gross weight: 3.2kg
- Carton GW: 3.2kg
- Carton Qty: 1pcs

HEATER

Durable, constant temp.

3 types rapid heating Enjoy warmth instantly



HP2237 / HP2238R

- Specs: 165*165*400mm
- Packing specs: 185*185*420mm
- Carton Specs: 400*400*440mm
- Net weight: 1.9kg
- Gross weight: 2.1kg
- Carton GW: 9.3kg
- Carton Qty: 4pcs
- Speed mode: 3 level
- Rated power: 1500W/2000W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ



HP2235 / HP2236R

- Specs: 188*188*420mm
- Packing specs: 200*200*440mm
- Carton Specs: 460*460*460mm
- Net weight: 1.9kg
- Gross weight: 2.1kg
- Carton GW: 9.3kg
- Carton Qty: 4pcs
- Speed mode: 3 level
- Rated power: 1500W/2000W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ

HEATER

Winter Warmth

Head to Toe Warmth



Efficient
PTC



Triple security
protection



No light pollution
quieter



HP1547 / HP1548R

- Specs: 150*140*240mm
- Packing specs: 160*160*290mm
- Carton Specs: 500*340*600mm
- Net weight: 1.2kg
- Gross weight: 1.55kg
- Carton GW: 18.6kg
- Carton Qty: 12pcs
- Speed mode: 3 level
- Rated power: 1500W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ



HP1545 / HP1546R

- Specs: 150*150*250mm
- Packing specs: 190*187*280mm
- Carton Specs: 580*400*580mm
- Net weight: 1.15kg
- Gross weight: 1.5kg
- Carton GW: 18.0kg
- Carton Qty: 12pcs
- Speed mode: 3 level
- Rated power: 1500W
- Heating material: PTC
- Body material: VO flame retardant material
- Rated frequency: 50-60HZ

HEATER

NO. 05 Towel radiator

Quick heat drying, healthy anti-bacteria,
intelligent control, safety and energy saving!

HEALTHY LIFE, COMFORTABLE HOME

New generation 3.5-inch LCD HD liquid crystal temperature control system
Adopt fashionable minimalist style, linear and smooth modeling, very aesthetic!
According to the change of weather, 30C-70°C can choose the temperature at will
Automatic control system, to meet the temperature requirements of different time periods
High-definition LCD touch screen operation, giving users visual enjoyment at the same time more high-quality operating experience
Support WiFi cell phone wireless control, more convenient operation.

30°C-70°C Optional Temperature.



HEALTHY LIFE,COMFORTABLE HOME




AS WARM AS SPRING

HEALTHY LIFE,COMFORTABLE HOME



Because of the courage to break through, so constantly beyond.
Because lichen accompany, so warm accompany.



RC-DRY9011A

Material quality: low carbon steel
Surface treatment: spraying
Heating method: carbon fiber
Waterproof rating: IPX4
Power rate: 220V/50Hz/250W
Dimensions: 800*500*200mm
Scope of application: bathroom

RC-DRY1202B

Material Quality: Aluminum Alloy
Surface Treatment: Anodic Oxidation
Heating Method: Carbon Fiber
Waterproof Rating: Ipx4
Power: 220v/50hz/210w
Size: 900*480*10mm
Scope of Application:
Bathroom, Kitchen, Balcony



RC-DRY0203A

Material quality: low carbon steel
Surface treatment: spraying
Heating method: carbon fiber
Waterproof rating: IPX4
Power rate: 220V/50Hz/210W
Dimensions: 688*500*52mm
Scope of application: bathroom



RC-DRY0201A

Material quality: low carbon steel
Surface treatment: spraying
Heating method: carbon fiber
Waterproof rating: IPX4
Power: 220V/50Hz/210W
Size: 688*500*52mm
Scope of application: bathroom



RC-DRY0904A (black, white)

Material quality: aluminum alloy
Surface treatment: high-gloss spray
Heating method: carbon fiber
Waterproof rating: IPX4
Power: 220V/50Hz/165W
Size: 500*360*110mm
Scope of application: bathroom



RC-DRY9022A

Material: Low carbon steel
Surface treatment: spraying
Heating method: carbon fiber
Waterproof grade: IPX4
Power: 220V150Hz/115W
Size: 270*600*25mm
Scope of application: Bathroom room

Let you feel the warmth of sunshine every time you meet with the towel.



RC-DRY9022B

Material: Low carbon steel
Surface treatment: spraying
Heating method: carbon fiber
Waterproof grade: IPX4
Power: 220V/50Hz/115W
Size: 650*400*175mm
Scope of application: Bathroom room

Super waterproof, protect comfortable home!
Even heating, enjoy the warm experience!



RC-DRY9022C

Material: Low carbon steel
Surface treatment: spraying
Heating method: carbon fiber
Waterproof grade: IPX4
Power: 220V150Hz/115W
Size: 650*450*150mm
Scope of application: Bathroom room

The simple design of Nordic style embellishes the dullness of the bathroom and warms my heart.



RC-DRY6031A

Material: Low carbon steel
Surface treatment: spraying
Heating method: carbon fiber
Waterproof grade: IPX4
Power: 220V150Hz/140W
Size: 580*500*38mm
Scope of application: Bathroom room

The combination of luxury and aesthetics shows the model of home decoration.



RC-DRY9014B

Material quality: low carbon steel
Surface treatment: spraying
Heating method: carbon fiber
Waterproof rating: IPX4
Power rate: 220V/50Hz/210W
Dimensions: 800*500*62mm
Scope of application: bathroom



RC-DRY0204B

Material quality: aluminum alloy
Surface treatment: spraying
Heating method: carbon fiber
Waterproof rating: IPX4
Power: 220V/50Hz/330W
Size: 770*500*50mm
Scope of application: bathroom



RC-DRY0903A

Material quality: aluminum alloy
Surface treatment: spraying
Heating method: carbon fiber
Waterproof rating: IPX4
Power: 220V/50Hz/245W
Size: 680*450*110mm
Scope of application: bathroom



RC-DRY1201A

Material quality: tempered glass
Surface treatment: anodic oxidation
Heating method: carbon fiber
Waterproof rating: IPX4
Power: 220V/50Hz/210W
Size: 700*450*65mm
Scope of application: bathroom



RC-DRY1302A

Material quality: 304 stainless steel
Surface treatment: mirror reflection
Heating method: carbon fiber
Waterproof rating: IPX4
Power rate: 220V/50Hz/34W
Dimensions: 450*510*80mm
Scope of application: bathroom



RC-DRY1301B

Material quality: SUS304 stainless steel
Surface treatment: polishing
Heating method: carbon fiber
Waterproof rating: IPX4
Power rate: 220V/50Hz/168W
Dimensions: 865*600*229mm
Scope of application: bathroom, kitchen, balcony



RC-DRY9134A

Material quality: Aluminum alloy
Surface treatment: spraying
Heating method: carbon fiber
Waterproof rating: IPX4
Power rate: 220V/50Hz/170W
Dimensions: 520*380*120mm
Scope of application: bathroom



RC-DRY1204B

Material quality: aluminum alloy
Surface treatment: spraying/oxidation
Heating method: carbon fiber
Waterproof rating: IPX4
Power rate: 220V/50Hz/170W
Dimensions: 900*480*220mm
Scope of application: bathroom



RC-DRY0301B


Material quality: low carbon steel
Surface treatment: high gloss spray
Heating method: thermal fluid
Waterproof rating: IPX4
Power rate: 220V/50Hz/400W
Dimensions: 700*500*205mm
Scope of application: bathroom



RC-DRY0301C

Material quality: low carbon steel
Surface treatment: spraying
Heating method: thermal fluid
Waterproof rating: IPX4
Power rate: 220V/50Hz/400W
Dimensions: 760*450*195mm
Scope of application: bathroom

With a warm sun every day, feel the smell of the sun all the time, intelligent life makes home warm and sunny every day.



RC-DRY0101A

Material: Low carbon steel
Surface treatment: High gloss spray
Heating method: Thermal conductive fluid
Waterproof grade: IPX4
Power: 220V/50Hz/400W
Size: 800*500*62mm
Scope of application: Bathroom room



RC-DRY0401B

Material: Low carbon steel
Surface treatment: spraying
Heating method: Thermal fluid
Waterproof grade: IPX4
Power: 220V/50Hz/300W
Size: 620*460*130mm
Scope of application: Bathroom room

With a warm sun every day, feel the smell of the sun all the time, intelligent life makes home warm and sunny every day.



RC-DRY0401D

Material quality: low carbon steel
Surface treatment: Spraying
Heating method: thermal fluid
Waterproof rating: IPX4
Power rate:220V/50Hz/300W
Dimensions: 600*450*230mm
Scope of application: bathroom



RC-DRY1002B

Material quality: low carbon steel
Surface treatment: spraying
Heating method: thermal fluid
Waterproof rating: IPX4
Power rate:220V/50Hz/600W
Dimensions: 1000*500*65mm
Scope of application: bathroom



With a warm sun every day,feel the smell of the sun all the time,intelligent life makes home warm and sunny every day.

RC-DRY0601A

Material quality: low carbon steel
Surface treatment: Spraying
Heating method: thermal fluid
Waterproof rating: IPX4
Power rate:220V/50Hz/400W
Dimensions: 800*500*30mm
Scope of application: bathroom



RC-DRY0301D

Material quality: low carbon steel
Surface treatment: spraying
Heating method: thermal fluid
Waterproof rating: IPX4
Power rate:220V/50Hz/400W
Dimensions: 760*480*205mm
Scope of application: bathroom



With a warm sun every day,feel the smell of the sun all the time,intelligent life makes home warm and sunny every day.

Product summary

Part 1




9011A

Mild Steel
Sprayed
Carbon Fiber
IPX4
220V/50Hz/250W
800*500*200mm



1202B

Aviation Aluminum
Anodizing
Carbon Fiber
IPX4
220V/50Hz/210W
900*480*10mm



0201A

Mild Steel
Sprayed
Carbon Fiber
IPX4
220V/50Hz/210W
688*500*52mm



0904A

Aluminum alloy
High gloss spraying
Carbon fiber
IPX4
220V/50Hz/ 115W
500*360*110mm



9022A

Mild Steel
Sprayed
Carbon Fiber
IPX4
220V/50Hz/115W
270*600*25mm



9022B

Mild Steel
Sprayed
Carbon Fiber
IPX4
220V/50Hz/115W
650*400*175mm



9022C

Mild Steel
Sprayed
Carbon Fiber
IPX4
220V/50Hz/115W
650*450*150mm



6031A

Mild Steel
Sprayed
Carbon Fiber
IPX4
220V/50Hz/140W
580*500*38mm



0902A

Aluminum alloy
spraying
Carbon fiber
IPX4
220V/50Hz/150W
650*450*32mm



0401B-1

Mild Steel
Sprayed
Carbon Fiber
IPX4
220V/50Hz/210W
620*430*130mm



0203A

Mild Steel
Sprayed
Carbon Fiber
IPX4
220V/50Hz/210W
688*500*52mm



9014B

Mild Steel
Sprayed
Carbon Fiber
IPX4
220V/50Hz/210W
800*500*62mm



0204B

Aluminum alloy
spraying
Carbon fiber
IPX4
220V/50Hz/330W
770*500*50mm



0903A

Aluminum alloy
spraying
Carbon fiber
IPX4
220V/50Hz/245W
680*450*110mm



1201A

Tempered glass
Spraying
Carbon fiber
IPX4
220V/50Hz/210W
700*450*65mm



1201B

Tempered glass
Spraying
Carbon fiber
IPX4
220V/50Hz/210W
900*480*65mm

Product summary

Part 2



1203A

Tempered glass
Spraying
Carbon fiber
IPX4
220V/50Hz/210W
700*450*65mm



1203B

Tempered glass
Spraying
Carbon fiber
IPX4
220V/50Hz/210W
900*480*65mm



1302A

304 stainless steel
Mirror polishing
Carbon fibre
IPX4
220V/50Hz/34W
450*510*80mm



1301B

304 stainless steel
Mirror polishing
Carbon fibre
IPX4
220V/50Hz/168W
865*600*229mm



0401D

Mild Steel
Sprayed
Thermal fluid
IPX4
220V/50Hz/300W
600*450*230mm



0301C

Mild Steel
Sprayed
Thermal fluid
IPX4
220V/50Hz/400W
760*450*195mm



0301D

Mild Steel
Sprayed
Thermal fluid
IPX4
220V/50Hz/400W
760*480*205mm



0101A

Mild Steel
Sprayed
Thermal fluid
IPX4
220V/50Hz/400W
800*500*62mm



9134A

Aluminum alloy
spraying
Carbon fiber
IPX4
220V/50Hz/170W
520*380*120mm



1204B

Aluminum alloy
spraying/oxidation
Carbon fiber
IPX4
220V/50Hz/170W
900*480*220mm



0601A

Tempered glass
Spraying
Carbon fiber
IPX4
220V/50Hz/400W
800*500*30mm



0301B

Tempered glass
Spraying
Carbon fiber
IPX4
220V/50Hz/400W
700*500*205mm



0401B

Mild Steel
Sprayed
Thermal fluid
IPX4
220V/50Hz/300W
620*450*130mm



1002B

Mild Steel
Sprayed
Thermal fluid
IPX4
220V/50Hz/600W
1000*500*65mm



0301J

Mild Steel
Sprayed
Thermal fluid
IPX4
220V/50Hz/365W
680*480*205mm



0301F

Mild Steel
Sprayed
Thermal fluid
IPX4
220V/50Hz/365W
800*500*205mm

NO. 06
Outdoor Fans

Let the coolness go with you and
enjoy the natural breeze!



Bring a good outdoor fan this summer
Out for walks, camping and other places




Mini Outdoor Fan
Wireless also works



Compare to
other fan sizes
And support tripod



Fits in your purse
Can be taken out and
used when needed



Detailed product parameters

Product Name Outdoor Fans	Product 109x107x89mm	Product Color White / Blue
Battery Capacity 4000mAh	Net weight 353g	

Summer Products



Product Features | High-speed handheld fan

- ◆ 5+100 gears infinitely adjustable speed, every degree is a sense of fresh air
- ◆ Handheld and vertical dual-use
- ◆ Turbo fan blade +19000 rpm, enjoy high-speed wind power, blowing distance farther and cooler
- ◆ Portable 150g
With lanyard design outdoor portable and more friendly.
- ◆ Lightweight and compact, no burden on traveling.

Parameter information |

Product name	High-speed handheld fan 2025 NEW
Model	F4
Product Style	Digital display
Battery specs	4000mAh
Rated power	/
Input voltage/current	5V 2A
rotational speed	19000
speed gear	100 gear
Body material	ABS+PC
Charging interface	Type-C
Charging cable length	0.5m
Net weight	160g
specs	41×55×132mm
Packing specs	61×44×138mm
colors	Beige, Light Lotus Root, Pink Light purple, Carbon Gray
Carton Qty	50pcs

Summer Products



Product Features | High-speed handheld fan

- ◆ 5+100-speed infinitely adjustable, choose the airflow according to your needs
- ◆ Can be handheld, can stand desktop use, with lanyard design
- ◆ 5-blade turbine fan + 10000 rpm high-speed wind, polycentric blowing distance farther away
- ◆ 200g lightweight and compact does not take up space, travel with no burden
- ◆ Semi-transparent design with a sense of technology

Parameter information |

Product name	High-speed handheld fan 2025 NEW
Model	F5
Product Style	Digital display
Battery specs	2000mAh
Rated power	8W
Input voltage/current	5V 1A
rotational speed	10000
speed gear	100 gear
Body material	ABS+PC
Charging interface	Type-C
work wind speed	7m/s
Charging cable length	0.5m
Net weight	200g
specs	44×42.5×116mm
Packing specs	45.5×43.5×119.5mm
colors	Beige, Cloudy Blue Light, Lotus Root Pink, Transparent White, Transparent Pink, Transparent Black
Carton Qty	100pcs

Summer Products



Product Features | - Handheld cooling fan

- ◆ 5+100-speed infinitely adjustable, choose the airflow according to your needs.
Can be handheld, can stand desktop use, with lanyard design
- ◆ Ice sensing wind small wind cannon, super-conducting ice magnetic cooling, rapid cooling
- ◆ 200g lightweight and compact does not take up space, travel with no burden
- ◆ Low power consumption and increased battery life, long-lasting summer cooling

Parameter information |

Product name	Handheld cooling fan ^{2025 NEW}
Model	F6
Product Style	Digital display
Battery specs	4000mAh
Rated power	/
Input voltage/current	5V 2A
rotational speed	9500
speed gear	100 gear
Body material	PC+ABS+aluminum alloy
Charging interface	Type-C
Special Features	Semiconductor refrigeration
Charging cable length	0.5m
Net weight	200g
specs	57×54×149mm
Packing specs	58.5×56×153mm
colors	Beige, Cloudy Blue, Light Lotus Root, Pink Carbon Gray
Carton Qty	50pcs

A breeze totake with you MINI clip fan!



Detailed product parameters

Product Name Clamp Fan	Input 5V/0.6A	Gear adjustment 3 gears	Main Material ABS stainless steel	Size 66x57x60mm
Electric core Polymer Batteries	Fan power 3W	Charging time 1.5H	Battery Capacity 1200mAh	weight 100g

Indoor and outdoor camping fan, enjoy coolness anytime, anywhere.

Compact and flexible, cool as you like



DT2001

- Specs:180*180*318mm
- Packing specs:205*185*205mm
- Carton Specs:575*430*430mm
- Net weight:0.7kg
- Gross weight:0.98kg
- Carton GW:12.7kg
- Carton Qty:12pcs
- speed mode: 3 level
- Rated power:10W
- Body material:ABS
- Rated voltage:DC5V2A
- Rated frequency:50-60HZ

CIRCULATING
FAN

Camping fan with large power for long lasting outdoor coolness!

Compact and flexible, cool as you like



FM2306

FM2308

- Specs:260*110*290mm
- Packing specs:268*134*306mm
- Carton Specs:560*560*330mm
- Net weight:1.1kg
- Gross weight:1.35kg
- Carton GW:12kg
- Carton Qty:8pcs
- speed mode: 4 level
- Rated frequency:DC5V 2A
- Body material:ABS
- Rated power:10W
- Specs:260*110*290mm
- Packing specs:268*134*306mm
- Carton Specs:560*560*330mm
- Net weight:1.35kg
- Gross weight:1.65kg
- Carton GW:14.5kg
- Carton Qty:8pcs
- speed mode: 4 level
- Rated frequency:DC5V 2A
- Body material:ABS
- Rated power:10W

CIRCULATING
FAN

Fashion& Advance ▶

With minimal design and not simple usage it's an insulated and kind of large box for storage,heat preservation and portability



Cases Showing ▶

Car "Luckiness&Enjoyment"
New Year Gift Box 2023



Cases Showing ▶

Grab Dragon Boat Festival Gift box in cool summer to be happy and eye-catching outdoors.





6L

Capacity	6L
Material	PP/EPS
External Dimensions	31x20.5x20cm
Internal Dimension	26x17.5x11.2cm
Net Weight	0.96kg
Gross Weight	1.74kg
CTN	35.5x26.5x27.5cm

12L



Capacity	12L
Material	PP/EPS
External Dimensions	39.3x25.2x25.4cm
Internal Dimension	34.3x21.7x15.7cm
Net Weight	1.445kg
Gross Weight	2.5kg
CTN	44x30.5x32.5 cm

18L




Capacity	18L
Material	PP/EPS
External Dimensions	47.2x31x30.5cm
Internal Dimension	40.8x27x18.4cm
Net Weight	2.2kg
Gross Weight	4.07kg
CTN	53.5x37x37.5cm



IS3.8

Capacity	3.8L
Material	PP/PU/PP
External Dimensions	28.8x21.5x19cm
Internal Dimension	22.5x13.5x13.5cm
Net Weight	0.87kg
Gross Weight	1.09kg
CTN	30x22.5x23cm



IS12



Capacity	12L
Material	PP/PU/PP
External Dimensions	37.8x27x23.3cm
Internal Dimension	29.5x19.2x17.8cm
Net Weight	1.7kg
Gross Weight	2.2kg
CTN	38.5x28x28cm





IU12

Capacity	12L
Material	PE/PU/PP
External Dimensions	41x25x27.8cm
Internal Dimension	32.5x16.5x20.5cm
Net Weight	2kg
Gross Weight	2.9kg
CTN	43x28x32 cm



IU15

Capacity	15L
Material	PE/PU/PP
External Dimensions	39x28.5x36cm
Internal Dimension	32x21.2x23cm
Net Weight	2.3kg
Gross Weight	3kg
CTN	42x31x41.5 cm



IU20

Capacity	20L
Material	PE/PU/PP
External Dimensions	47X34x31.5cm
Internal Dimension	37.3x26x24cm
Net Weight	3.7kg
Gross Weight	4.3kg
CTN	47.5x36x34cm



IU21

Capacity	21L
Material	PE/PU/PP
External Dimensions	47X34x31.5cm
Internal Dimension	37.3x26x24cm
Net Weight	3.7kg
Gross Weight	4.6kg
CTN	48x38.5x35.5cm



IU25

Capacity	25L
Material	PE/PP
External Dimensions	59.3x36.6x35.1cm
Internal Dimension	43x20.5x23.5cm
Net Weight	6.6kg
Gross Weight	7.7kg
CTN	60.5x38x39cm



IU26

Capacity	26L
Material	PE/PU/PP
External Dimensions	55x35.3x38.7cm
Internal Dimension	41.6x21.2x29cm
Net Weight	4.5kg
Gross Weight	6.15kg
CTN	57x38x41cm



IX70

Capacity	70L
Material	PE/PU/PP
External Dimensions	74x44.2x42.8cm
Internal Dimension	58x32.5x34.5cm
Net Weight	8.2kg
Gross Weight	11.15kg
CTN	82.5x52.5x52.5cm

IX70W



Capacity	70L
Material	PE/PU/PP
External Dimensions	74x44.2x42.8cm
Internal Dimension	58x32.5x34.5cm
Net Weight	8.2kg
Gross Weight	11.15kg
CTN	82.5x52.5x52.5cm

IX120



Capacity	120L
Material	PE/PU/PP
External Dimensions	94x55x49cm
Internal Dimension	79.5x41.5x40.5cm
Net Weight	12kg
Gross Weight	14.5kg
CTN	95x57x55cm



IX120W

Capacity	120L
Material	PE/PU/PP
External Dimensions	94x55x49.5cm
Internal Dimension	79.2x40x40cm
Net Weight	13kg
Gross Weight	15.6kg
CTN	95x57x55cm

IX160



Capacity	160L
Material	PE/PU/PP
External Dimensions	110x53.3x51.4cm
Internal Dimension	101.4x40.1x40.8cm
Net Weight	15kg
Gross Weight	18.5kg
CTN	125x69x67cm

IX160W



Capacity	120L
Material	PE/PU/PP
External Dimensions	94x55x49.5cm
Internal Dimension	79.5x41.5x40.5cm
Net Weight	14kg
Gross Weight	16.6kg
CTN	95x57x55cm

02 Air conditioning refrigerator

Get fresh all the way



/// GET FRESH ALL THE WAY



IOG-1

Avg power consumption: 400W
Cooling Capacity: 1500w/5200btu
Dimensions: 575x289x349mm
Packing size: 798x318x385mm
N.W./G.W.: 14.5kg/17.5kg
20'/40'/40HQ: 294/630/735pcs



IOG-2

Avg power consumption: 400W
Cooling Capacity: 1500w/5200btu
Dimensions: 582x289x349mm
Packing size: 798x318x385mm
N.W./G.W.: 14.5kg/17.5kg
20'/40'/40HQ: 288/594/693pcs




IOG-3

Avg power consumption: 570W
Cooling Capacity: 2300w/8000btu
Dimensions: 475x295x405mm
Packing size: 555x375x615mm
N.W./G.W.: 13.8kg/20kg
20'/40'/40HQ: 212/440/535pcs

SOG-1



Frequency: 50Hz
 Avg power consumption: 240W
 Cooling Capacity: 680w/2300btu
 Dimensions: 535x285x297mm
 Packing size: 736x355x347mm
 N.W./G.W.: 9.5kg/12kg
 20'/40'/40HQ: 288/594/693pcs



SOG-2




Frequency: 50Hz
 Avg power consumption: 240W
 Cooling Capacity: 680w/2300btu
 Dimensions: 527x285x297mm
 Packing size: 736x355x347mm
 N.W./G.W.: 11kg/13kg
 20'/40'/40HQ: 288/594/693pcs



CF-45



Capacity: 45L
 Avg power consumption: 65W
 Dimensions: 645x386x505mm
 Packing size: 695x436x555mm
 N.W./G.W.: 13.5kg/15.5kg
 20'/40'/40HQ: 104/352/352pcs



CFW-45



Capacity: 45L
 Avg power consumption: 65W
 Dimensions: 716x439x505mm
 Packing size: 766x489x555mm
 N.W./G.W.: 15kg/17.5kg
 20'/40'/40HQ: 144/288/288pcs





IRON series

CAR FRIDGE FREEZER

Fresh life, enjoy every moment.

/// GET FRESH ALL THE WAY

IRON-38



Capacity: 38L
Avg power consumption: 60W
Dimensions: 616x384x397mm
Packing size: 661x454x458mm
N.W./G.W.: 16.5kg/18.3kg
20'/40'/40HQ: 215/450/450pcs

IRON-48



Capacity: 48L
Avg power consumption: 60W
Dimensions: 616x384x467mm
Packing size: 661x454x528mm
N.W./G.W.: 17.1kg/19.7kg
20'/40'/40HQ: 172/360/450pcs

IRON-58



Capacity: 58L
Avg power consumption: 60W
Dimensions: 616x384x537mm
Packing size: 661x454x598mm
N.W./G.W.: 18kg/19.9kg
20'/40'/40HQ: 129/270/360pcs




UOG-20

Capacity: 20L
 Avg power consumption: 45W
 Dimensions: 564x320x321mm
 Packing size: 614x370x371mm
 N.W./G.W.: 8.5kg/9.5kg
 20'/40'/40HQ: 360/732/854pcs





UOG-25

Capacity: 25L
 Avg power consumption: 40W
 Dimensions: 564x320x356mm
 Packing size: 614x370x406mm
 N.W./G.W.: 9kg/11kg
 20'/40'/40HQ: 300/610/732pcs





TE-24

Capacity: 24L
 Avg power consumption: 45W
 Dimensions: 400x337x432mm
 Packing size: 420x358x473mm
 N.W./G.W.: 4.8kg/3.5kg
 20'/40'/40HQ: 528/744/930pcs



TE-27

Capacity: 27L
 Avg power consumption: 40W
 Dimensions: 400x337x470mm
 Packing size: 420x358x511mm
 N.W./G.W.: 5.2kg/3.9kg
 20'/40'/40HQ: 306/744/930pcs



NO. 07
kitchen appliances

Efficient and convenient, cooking is easier!
Let the technology light up the delicious life!

Air Fryer
Oil-free baking is healthier



HK-2306J

- Electrical performance:22V 50HZ 1500W
- Product size:315*265*320mm
- Packaging size:360*360*345mm
- Net weight:2.8kg
- Gross weight:3.4kg
- Product capacity:6L
- Carton Qty:1pcs
- Rated power:1000W/2000W
- Heating material:Chrome-plated nickel wire
- Body material:ABS
- Rated frequency:50-60HZ



HK-2306Y

- Electrical performance:22V 50HZ 1500W
- Product size:315*265*320mm
- Packaging size:360*360*345mm
- Net weight:2.8kg
- Gross weight:3.4kg
- Product capacity:6L
- Carton Qty:1pcs
- Rated power:1000W/2000W
- Heating material:Chrome-plated nickel wire
- Body material:ABS
- Rated frequency:50-60HZ



HK-2204Y

- Electrical performance:22V 50HZ 1500W
- Product size:290*240*300mm
- Packaging size:300*300*330mm
- Net weight:3.1kg
- Gross weight:3.8kg
- Product capacity:4L
- Carton Qty:1pcs
- Rated power:1500W
- Heating material:Chrome-plated nickel wire
- Body material:PP
- Rated frequency:50-60HZ



HK-2204J

- Electrical performance:22V 50HZ 1500W
- Product size:290*240*300mm
- Packaging size:300*300*330mm
- Net weight:3.1kg
- Gross weight:3.8kg
- Product capacity:4L
- Carton Qty:1pcs
- Rated power:1500W
- Heating material:Chrome-plated nickel wire
- Body material:PP
- Rated frequency:50-60HZ